

		Document name: <b>Pallet label and Barcode specification</b>	Reg. No.-Issue: <b>01-179700b</b>	Page: <b>1 / 4</b>
Issuer: <b>Cecilia Cooper</b>	Approved: <b>Lars Pettersson</b>	Reg. Date: <b>2016-03-24</b>	PU-No: <b>13764</b> Date: <b>2022-07-11</b>	

**Table of Contents**

---

**1 Purpose ..... 1**

**2 Pallet label ..... 1**

**3 Barcode specification & label ..... 2**

    3.1 Ringfeder Label ..... 3

    3.2 VBG Label ..... 4

**1 Purpose**

The purpose of this guideline is to describe the minimum requirement of the pallet label and barcode specifications. This is applicable for all supply for serial production to VBG Group Truck Equipment AB.

**2 Pallet label**

The supplier has to ensure every package is labeled with an identification label including the following information.

Company name:	Vbg's PO-number
Part number:	
Description of part:	
Quantity:	Receiver:

Document name: Pallet label and Barcode specification	Reg. No.-Issue: 01-179700b	Page: 2 / 4
--	-------------------------------	----------------

### 3 Barcode specification & label

VBG TE require barcodes with a high quality to scan properly, code 128 or 39, preferably barcode type 128 due to precision values.


Part number must be clearly marked together with the barcode. To successfully scan, a white space between the barcode and the frame of the label is required.

A test scan of the barcode shall be done by the supplier prior to start of serial production shipments.



Document name: Pallet label and Barcode specification	Reg. No.-Issue: 01-179700b	Page: 3 / 4
---	-------------------------------	----------------

### 3.1 Ringfeder Label



Arial, Bold, 14 pt ← **Part Name**

Arial, Bold, 12 pt ← **Part No**

Arial, Regular, 7 pt ← 123456/1222

Arial, Bold, 7 pt ← [www.ringfeder.de](http://www.ringfeder.de)


All text in 100% black.



Bar code size including article number:  
W ~ 43 mm  
H ~ 12 mm  
The bar code is placed 33 mm from the  
top edge.

Document name: Pallet label and Barcode specification	Reg. No.-Issue: 01-179700b	Page: 4 / 4
---	-------------------------------	----------------

### 3.2 VBG Label



www.vbg.eu is placed 6 mm from the bottom edge and 4 mm from the left side edge.

The size of the VBG logo:  
W 24,3 mm  
H 8,3 mm

Member of VBG Group is placed 3 mm from the bottom edge and 4 mm from the left side edge.

Placed 3,0 mm from the bottom edge and 3 mm from the right side edge.



Bar code size including item number:  
W ~ 43 mm  
H ~12 mm

Bar code is placed 24 mm from the top edge and 4 mm from the left side edge.

Arial, Bold, 14 pt ← **PART NAME**

Arial, Bold, 12 pt ← **Part No**

Arial, Bold, 7 pt ← 123456/1222

Arial, Bold, 7 pt ← www.vbg.eu  
 Arial, Bold, 7 pt ← Member of VBG Group

All text in 100% black.